DINI ARGEO
Scales - Weighing systems

RSCBUSB

RS232 - USB CONVERTER CABLE



RS232 - USB converter cable, essential for the configuration and the maintenance of Dini Argeo weight indicators. The connection is fast and easy, thanks to the RJ45 quick connector on the scale side.

The best solution
for advanced industrial
applications

MAIN FEATURES

- Length: about 1,5m
- Connectors:
  - RJ45 for the quick connection to the RS232 serial port, standard fitted on the female connector available on all Dini Argeo indicators;
  - USB on the PC side.
- PC minimum requirements:
  - Windows 7 or greater;
  - 2.0 USB port or greater;
  - communication drivers integrated in the Dinitools software.

www.diniargeo.com



DINI ARGEO FRANCE sarl
Nogent-sur-Marne
info.fr@diniargeo.com

DINI ARGEO GMBH
Sinsheim - Germany
info.de@diniargeo.com

DINI ARGEO UK Ltd
Taunton - United Kingdom
info.uk@diniargeo.com

DINI ARGEO WEIGHING INSTRUMENTS Ltd
Shanghai - China
info.cn@diniargeo.com

DINI ARGEO WEIGHBRIDGES
Calto (RO) – Italy
info@diniargeo.com

DINI ARGEO
Scales - Weighing systems

ATEX

ISO 9001:2008

HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 843418 Fax. +39.0536 843521
info@diniargeo.com

SERVICE ASSISTANCE
Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 921784 Fax. +39.0536 926654
service@diniargeo.com

SALES AND TECHNICAL ASSISTANCE SERVICE