DINI ARGEO
Scales - Weighing systems

# 3590EDEMOKIT

## DEMOKIT: THE PROFESSIONAL WEIGHING STATION WITH "ENTERPRISE" INDICATOR




DEMOKIT is a portable weighing station, based on the 3590E "ENTERPRISE" weight indicator and equipped of accessories and "AF" application software, allowing you to show your client the appropriate solution for one's weighing needs.

Working in cooperation with:

***SC DATA SPEED SRL***

*STR DONATH N. 115/33 - 400331 - JUD. CLUJ*
*Tel. 0040-264566473 Fax. 0040-364-815440*
*office@cantare.com.ro*

The best solution
for advanced industrial
applications

## MAIN FEATURES

***The Demokit offers the chance to achieve:***

- Practical operational examples, for showing the ease of use of the 3590E indicator. Thanks to the included CDs, you can replace the AF application program of your Demokit with any other desired one and quickly run the configurations with the Dinitools software.
- Tickets or labels with weight data, articles, logos, traceability data, bar codes.
- Connections to the customer's PC or to the company's information system through the standard fitted Ethernet, USB or RF interfaces.
- Automation simulation thanks to the integrated simulator inputs / outputs.

*Standard fittings:*

- RS232 cable and USB cable for connection to the PC.
- Thermal printer and memory card writer, made up of 512 MB MMC memory card.
- External PC keyboard.
- BARCODE reader.
- RPLC6 series aluminium weighing platform.
- 3 CDs containing:
  - Dinitools, Weigh Console, etc. software and complete kit of manuals;
  - AF01, AF02, AF03, AF04, AF05, AF08 and BATCH1 firmware;
  - WeiMonitor installation software, basic version.

## ACCESSORIES

- 868MHz radio frequency module for PC.
- Thermal labeller.
- Infrared remote control or 433MHz radiofrequency remote control, with customizable functions of keys.

## INPUT/OUTPUT

- 2 switches for inputs simulation.
- 4 LEDs for outputs status indication.
- A section for print management, with 1 RS232 connector for connection to an external labeller (optional) and 2 switches for selecting the printer / memory card.
- 1 mini DIN connector for connection to BARCODE reader and external PC keyboard.
- A section for connection to a PC, with 1 RS232, USB, Ethernet connector and 1 switch for integrated 868MHz radio frequency module.
- A section for connection to the load cells (analogue or digital).

www.diniargeo.com




**DINI ARGEO FRANCE sarl**
Nogent-sur-Marne

**DINI ARGEO GMBH**
Sinsheim - Germany

**DINI ARGEO UK Ltd**
Taunton - United Kingdom

**DINI ARGEO WEIGHING INSTRUMENTS Ltd**
Shanghai - China

**DINI ARGEO WEIGHBRIDGES**
Calto (RO) – Italy

DINI ARGEO
Scales - Weighing systems

**HEAD OFFICE**
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy

ATEX

ISO 9001:2008

***SC DATA SPEED SRL***

*STR DONATH N. 115/33 - 400331 - JUD. CLUJ*

*Tel. 0040-264566473 Fax. 0040-364-815440*

*office@cantare.com.ro*

***SALES AND TECHNICAL ASSISTANCE SERVICE***