DINI ARGEO
Scales - Weighing systems

ETHD

"ETHD": ETHERNET INTERFACE FOR INDICATORS



Small size, excellent signal quality, support of the most common network protocols are just a few features of this product, which allows for a network connection of any scale or weighing system to the company's computer system through the RJ45 connector; it' easy to install and it's fitted with a cable for the connection to the indicators
The module does not exclude the use of other Dini Argeo products on the system, such as Control Light, Alibi Memory, attached or external printer.

Working in cooperation with:

SC DATA SPEED SRL

STR DONATH N. 115/33 - 400331 - JUD. CLUJ
Tel. 0040-264566473 Fax. 0040-364-815440
office@cantare.com.ro

The best solution
for advanced industrial
applications


TECHNICAL FEATURES

- Connection to the mains through the standard RJ45 connector
- Mains interface: 10/100 Base-T
- Supported protocols: TCP, UDP, DHCP, SNMP, SSL 3.0/TLS 1.0, HTTP, SMTP, ICMP, IGMP, ARP
- Size: Height = 50 mm; Width = 87 mm.
- Visual indications: 2 LEDs
  - Green LED: ON when it is connected to the 10/100 Base-T mains.
  - Yellow LED: ON in the presence of the mains activity.
- Operating temperature: -40°C +85°C
- Power supply: from battery (5 ÷12Vdc).
- Max. absorption: 350 mA.

The accessory may be ordered only combined with a suitable weight indicator.

In case of installation in existing systems, it is recommended to consult the manual to verify compatibility with devices in use.

DETAIL 1



Programming accessible by the integrated web interface.
It does not require any other pc application for the configuration.

www.diniargeo.com



DINI ARGEO FRANCE sarl
Nogent-sur-Marne

DINI ARGEO GMBH
Sinsheim - Germany

DINI ARGEO UK Ltd
Taunton - United Kingdom

DINI ARGEO WEIGHING INSTRUMENTS Ltd
Shanghai - China

DINI ARGEO WEIGHBRIDGES
Calto (RO) – Italy

DINI ARGEO
Scales - Weighing systems

HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy

ATEX

ISO 9001:2008

SC DATA SPEED SRL

STR DONATH N. 115/33 - 400331 - JUD. CLUJ

Tel. 0040-264566473 Fax. 0040-364-815440

office@cantare.com.ro

SALES AND TECHNICAL ASSISTANCE SERVICE