Type HY-14-104



Short description

- Good self-alignment ability
- Anti-reversal ability
- Nickel plated alloy steel
- Easy installation
- Can be used with Load Cell models: BM14C and HM14C

Available models

Model	Capacity	Full article description	Part number
HY-14-104	10t – 50t	HY-14-104-10/50t	2140510
	10t – 30t	HY-14-104-W1-10/30t	2140511
	40t – 50t	HY-14-104-W1-40/50t	2140512

Please note:

The HY-14-104-10/50t is used for BM14C models up to 30t and for all capacities of the HM14C. For higher capacities of the BM14C load cell please use the BY-14-103.

Specifications and dimensions are subject to change without notice and do not constitute any liability whatsoever.


Zemic Europe B.V.
Leerlooierstraat 8
4871 EN Etten-Leur
The Netherlands

T: +31 76 50 39480
F: +31 76 50 39481
info@zemic.nl
www.zemic.nl


Type HY-14-104

Dimensions in mm

HY-14-104-10/50t



HY-14-104-W1-10t – 30t




Specifications and dimensions are subject to change without notice and do not constitute any liability whatsoever.

Zemic Europe B.V.
Leerlooierstraat 8
4871 EN Etten-Leur
The Netherlands

T: +31 76 50 39480
F: +31 76 50 39481
info@zemic.nl
www.zemic.nl

Type HY-14-104

HY-14-104-W1-40t – 30t



Specifications and dimensions are subject to change without notice and do not constitute any liability whatsoever.

Zemic Europe B.V.
Leerlooierstraat 8
4871 EN Etten-Leur
The Netherlands

T: +31 76 50 39480
F: +31 76 50 39481
info@zemic.nl
www.zemic.nl