DINI ARGEO
Scales - Weighing systems

LCCBC

"LCCBC": SHIELDED CABLES for CONNECTION to WEIGHT INDICATORS



Shielded cables for connection to weight indicator, easy to install and fix to the weight indicator. Fitted with cable gland, for its fixing.

The best solution
for advanced industrial
applications

LCCBC connection cable

- Length: 50cm.
- Indicator side: AMP female connector.
- Platform side: circular 7-pole female solder connector.

LCCB5C connection cable

- Length: 50cm.
- Indicator side: AMP female connector.
- Platform side: circular 7-pole female connector + 5 metres of shielded 6-pole cable.

LCCB10C connection cable

- Length: 50cm.
- Indicator side: AMP female connector.
- Platform side: circular 7-pole female connector + 10 metres of shielded 6-pole cable.

DETAIL 1



LCCB5C connection cable.

DETAIL 2



LCCB10C connection cable.

www.diniargeo.com



DINI ARGEO FRANCE sarl
Nogent-sur-Marne
info.fr@diniargeo.com

DINI ARGEO GMBH
Sinsheim - Germany
info.de@diniargeo.com

DINI ARGEO UK Ltd
Taunton - United Kingdom
info.uk@diniargeo.com

DINI ARGEO WEIGHING INSTRUMENTS Ltd
Shanghai - China
info.cn@diniargeo.com

DINI ARGEO WEIGHBRIDGES
Calto (RO) – Italy
info@diniargeo.com

DINI ARGEO
Scales - Weighing systems

ATEX

ISO 9001:2008

HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 843418 Fax. +39.0536 843521
info@diniargeo.com

SERVICE ASSISTANCE
Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 921784 Fax. +39.0536 926654
service@diniargeo.com

SALES AND TECHNICAL ASSISTANCE SERVICE