DINI ARGEO
Scales - Weighing systems

RSCBUSB

RS232 - USB CONVERTER CABLE



RS232 - USB converter cable, essential for the configuration and the maintenance of Dini Argeo weight indicators. The connection is fast and easy, thanks to the RJ45 quick connector on the scale side.

Working in cooperation with:

SC DATA SPEED SRL

STR DONATH N. 115/33 - 400331 - JUD. CLUJ
Tel. 0040-264566473 Fax. 0040-364-815440
office@cantare.com.ro

The best solution
for advanced industrial
applications

MAIN FEATURES

- Length: about 1,5m
- Connectors:
  - RJ45 for the quick connection to the RS232 serial port, standard fitted on the female connector available on all Dini Argeo indicators;
  - USB on the PC side.
- PC minimum requirements:
  - Windows 7 or greater;
  - 2.0 USB port or greater;
  - communication drivers integrated in the Dinitools software.

www.diniargeo.com



DINI ARGEO FRANCE sarl
Nogent-sur-Marne

DINI ARGEO GMBH
Sinsheim - Germany

DINI ARGEO UK Ltd
Taunton - United Kingdom

DINI ARGEO WEIGHING INSTRUMENTS Ltd
Shanghai - China

DINI ARGEO WEIGHBRIDGES
Calto (RO) – Italy

DINI ARGEO
Scales - Weighing systems

HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy

ATEX

ISO 9001:2008

SC DATA SPEED SRL

STR DONATH N. 115/33 - 400331 - JUD. CLUJ

Tel. 0040-264566473 Fax. 0040-364-815440

office@cantare.com.ro

SALES AND TECHNICAL ASSISTANCE SERVICE