DINI ARGEO
Scales - Weighing systems

SMT

"SMTPLUSPRO": DIRECT AND THERMAL TRANSFER LABELLER



Direct and thermal transfer labeller, connectable to 3590, CPW, and TRS indicators. The quick emission of labels, the high printing resolution and the compact size make it suitable for printing in any industrial environment. CE-M approvable.

Working in cooperation with:

SC DATA SPEED SRL

STR DONATH N. 115/33 - 400331 - JUD. CLUJ
Tel. 0040-264566473 Fax. 0040-364-815440
office@cantare.com.ro

The best solution
for advanced industrial
applications

TECHNICAL FEATURES

- PRINT METHOD: direct and thermal transfer.
- PRINT RESOLUTION: 8 dots/mm.
- PRINT SPEED: up to 200 mm/s.
- PRINT MODE: dispensing or strip form.
- MAXIMUM PRINT WIDTH: 108 mm.
- LABEL LENGTH: from 5 mm up to 2286 mm.
- LABEL WIDTH: from 25,4 mm up to 118 mm.
- ROLL SIZE: external diameter up to 208.3 mm.
- THERMAL RIBBON: internal diameter of 25,4 mm, length of 600 metres, width from 25,4 mm up to 114,3 mm.
- FONTS: 8, alphanumeric bitmaps.
- USER DISPLAY: backlit graphic LCD, 128x64 pixel, for message indication.
- MEDIA TYPES: die cut labels, tags and continuous strips.
- AVAILABLE BAR CODES:
  - 1D BARCODE: Code 39, 93, 128UCC, 128 subset A.B.C, Codabar, Interleave 2/5, EAN-8, EAN-13, EAN-128, UPC-A, UPC-E, EAN e UPC 2(5), MSI, PLESSEY, POSTNET, China POST, GS1 Databar, Logmars.
  - 2D BARCODE: PDF-714, Maxicode, DataMatrix, QR code, Aztech.
- PERMANENT MEMORY: 4Mb.
- INTERFACES: RS232C (from 2400 to 115200bps), Centronics (SPP mode), or USB 2.0 client.
- STANDARD SOFTWARE PROGRAMMING, for the creation of customised labels with logos, images, weight data, and bar codes.
- SIZE: 270 x 308 x 505 mm (wxhxl).
- WEIGHT: 18 kg.
- POWER SUPPLY: 115/230 Vac, 50/60 Hz.
- OPERATING TEMPERATURE: from -40°C to +60°C.
- OPERATING HUMIDITY: from 20% to 85%, non condensing.

AVAILABLE ACCESSORIES

- Peel-off kit, with internal automatic rewind.

DETAIL 1



Simple and quick substitution of the roll.

www.diniargeo.com



DINI ARGEO FRANCE sarl
Nogent-sur-Marne

DINI ARGEO GMBH
Sinsheim - Germany

DINI ARGEO UK Ltd
Taunton - United Kingdom

DINI ARGEO WEIGHING INSTRUMENTS Ltd
Shanghai - China

DINI ARGEO WEIGHBRIDGES
Calto (RO) – Italy

DINI ARGEO
Scales - Weighing systems

HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy

ATEX

ISO 9001:2008

SC DATA SPEED SRL

STR DONATH N. 115/33 - 400331 - JUD. CLUJ

Tel. 0040-264566473 Fax. 0040-364-815440

office@cantare.com.ro

SALES AND TECHNICAL ASSISTANCE SERVICE