DINI ARGEO
Scales - Weighing systems

T

"T" SERIES - SINGLE CELL PLATFORMS



Small and medium capacity electronic platforms with a AISI304 stainless steel surface having a precise and sturdy structure, suitable for creating scales and automatic weight checking systems for all industrial and commercial applications. Standard version is with approved load cell.

The best solution
for advanced industrial
applications

MAIN FEATURES

- Functions with an approved aluminium “single point” load cell according to OIML R60 standards with protection against dust and water splashes according to IP65 standards (350 Ohm input resistance).
- Steel tubular structure, oven-fire painted blue, with adjustable resting feet and level.
- Fitted with satined AISI 304 stainless steel loading surface.
- Up to 15 Vdc power supply.
- Shielded 3m connection cable with connectors for connection to the indicator.

OPTIONS ONLY AVAILABLE AT TIME OF ORDER

- Connection to the indicator and calibration
- CE-M 3000e or 3000+3000e approval.
- CE-M 6000e or 6000+6000e approval.
- High resolution models for internal factory use.


OPTIONS FOR ATEX VERSION

- CCATEX: ATEX certificate for each load cell
- DCATEX2GD: Declaration of ATEX conformity of whole PLATFORM + ATEX 2GD DINI ARGEO INDICATOR
- DCATEX3GD: Declaration of ATEX conformity of whole PLATFORM + ATEX 3GD DINI ARGEO INDICATOR

ACCESSORIES

- Indicator support column.
- Steel carts.
- Raising frames.
- Belt and roller units to be applied on the loading surface (upon estimate).
- Special sizes and capacities (upon estimate).

DETAIL 1



"T" series platforms: dimensions (see the version table)

VERSIONS

Available versions

Code	l x w x h (mm)	Max (kg)	d (g)	d* HR (g)	CE-M* 3000e (g)	CE-M* 2x3000e (g)	CE-M* 6000e (g)	CE-M* 2x6000e (g)
TS3	230x330x93	3	0,5	0,1	1	--	--	--
TS6	230x330x93	6	1	0,2	2	1-2	--	--
TS15	230x330x93	15	2	0,5	5	2-5	--	--
TT6	330x330x93	6	1	0,2	2	1-2	1	--
TT15	330x330x93	15	2	0,5	5	2-5	--	--
TT30	330x330x93	30	5	1	10	5-10	5	2-5
TQ15	400x400x110	15	2	0,5	5	2- 5	--	--
TQ30	400x400x110	30	5	1	10	5-10	5	2-5
TQ60	400x400x110	60	10	2	20	10-20	--	--
TQ150	400x400x110	150	20	5	50	20-50	--	--
TM30	400x500x110	30	5	1	10	5-10	--	--
TM60	400x500x110	60	10	2	20	10-20	--	--
TM150	400x500x110	150	20	5	50	20-50	--	--
TC30	500x500x110	30	5	1	10	5-10	--	--
TC60	500x500x110	60	10	2	20	10-20	--	--
TC150	500x500x110	150	20	5	50	20-50	--	--
TL60	500x600x132	60	10	2	20	10-20	--	--
TL150	500x600x132	150	20	5	50	20-50	--	--
TL300	500x600x132	300	50	10	100	50-100	--	--
TX60	600x600x132	60	10	2	20	10-20	--	--
TX150	600x600x132	150	20	5	50	20-50	--	--
TX300	600x600x132	300	50	10	100	50-100	--	--
TG150	700x700x145	150	20	5	50	--	--	--
TG300	700x700x145	300	50	10	100	50-100	--	--
TG600	700x700x145	600	100	20	200	100-200	--	--

(*) These divisions are obtainable only with the relative options.

www.diniargeo.com



DINI ARGEO FRANCE sarl
Nogent-sur-Marne
info.fr@diniargeo.com

DINI ARGEO GMBH
Sinsheim - Germany
info.de@diniargeo.com

DINI ARGEO UK Ltd
Taunton - United Kingdom
info.uk@diniargeo.com

DINI ARGEO WEIGHING INSTRUMENTS Ltd
Shanghai - China
info.cn@diniargeo.com

DINI ARGEO WEIGHBRIDGES
Calto (RO) – Italy
info@diniargeo.com

DINI ARGEO
Scales - Weighing systems

ATEX

ISO 9001:2008

HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 843418 Fax. +39.0536 843521
info@diniargeo.com

SERVICE ASSISTANCE
Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 921784 Fax. +39.0536 926654
service@diniargeo.com

SALES AND TECHNICAL ASSISTANCE SERVICE